

The Wagner logo is displayed in a yellow rectangular box in the top left corner. It features a black triangle above the word "WAGNER" in a bold, black, sans-serif font.

WAGNER

A woman in a red and white striped shirt and jeans is kneeling on a black tarp on a lawn, painting a wooden fence with a yellow Wagner sprayer. The fence has some sections that are already painted white. The background shows green trees and a clear sky.

**PRODUCT
OVERVIEW 2024/25**











CHANGE it.

go.wagner-group.com/diy4u


TABLE OF CONTENTS

| | |
|-------------------------------------------------------------------------------------------------|----|
| Perfect solution for every project | 3 |
| Don't waste anymore time | 4 |
| WAGNER seal of quality | 5 |
| Power4All Alliance | 6 |
| Universal Sprayer for wall paint and wood and metal paint HVLP spraying systems | 7 |
| Airless spraying systems for wall paint and wood and metal paint HEA spraying systems | 13 |
| Wall paint Wall Sprayer | 19 |
| Paint roller | 20 |
| Wood and metal paints HVLP spraying systems | 21 |
| Clean & Care Multifunctional patio cleaner - Levaro Powerbrush | 26 |
| Steam cleaner - Power Steamer | 27 |
| Wallpaper Steamer | 28 |
| Heat Gun | 30 |
| Accessories | 34 |

PERFECT SOLUTION FOR EVERY PROJECT

| | | W 100 | W 125 | W 150 | W 450 | W 510 | W 575 | W 590 | W 600 | W 690 | W 950 | W 975 | Control Pro 150 M | Control Pro 250 M | Control Pro 250 R | Control Pro 275 M | Control Pro 300 Move 18V | Control Pro 350 M | Control Pro 350 R | EasyRoll | |
|----------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------------------|-------------------|-------------------|-------------------|--------------------------|-------------------|-------------------|----------|---|
| LACKE UND LASUREN  | Small Surface  | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | | | | | | |
| | Medium Surface  | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | | | | | |
| | Large Surface  | | | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| | Extra Large Surface  | | | | | | | | | | | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| WANDFARBE  | Small Interior  | | | | | ✓ | ✓ | ✓ | ✓ | ✓ | | | | | | | | | | | ✓ |
| | Medium Interior  | | | | | ✓ | | | | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| | Large Interior  | | | | | | | | | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| | Extra Large Interior  | | | | | | | | | | | | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |


DON'T WASTE ANYMORE TIME



APPLYING PAINT USING A BRUSH



APPLYING PAINT USING A ROLLER



APPLYING PAINT USING A SPRAYING SYSTEM

Fine spray systems from WAGNER enable you to work much quicker than a brush and roller. The surface quality and coverage are visibly better with a noticeable time saving to get the job finished.

1. PRESERVING THE ORIGINAL SURFACE TEXTURE THROUGH INTELLIGENT PAINT APPLICATION


The key advantage of the spray process lies in the fact that it is a non-contact method of paint application. The texture of the original surface is left intact – in complete contrast to the results of manual application using a roller or brush. When paint is applied to smooth surfaces manually with a brush or roller, the direct contact leaves visible traces due to the tool, such as roller outlines or brush marks on the surface. Spraying preserves the original texture even when working on textured surfaces such as woodchip wallpapers.

2. GOOD COVERAGE

WAGNER paint spray systems guarantee a uniform perfect coverage of paint. Compared to rollers and brushes or even spray systems from other manufacturers, the results with WAGNER equipment are visibly better. At the end of the day you deserve the best possible surface finish.

3. BETTER SURFACE QUALITY

Fences, furniture and other objects which are exposed to the weather need protection: The sun, wind, rain, snow, high and low temperatures and moisture attack their surfaces. The right coating makes surfaces more resistant so that you can continue to enjoy them for as long as possible. To establish which coating method offers the best added value for wood and metal, a series of tests using a range of common wood types was carried out in which the wood was coated using a conventional medium quality brush and the same materials were then coated with a WAGNER fine spray system. They were then left out in the weather. After a short time the coating on the wood which had been coated with the brush had started to break down completely. However the coating which had been applied with the paint spray gun was much more resistant.



roller-painted
The coat is uneven. The surface characteristics are lost.

spray-painted
The colour layer is homogeneous and even. The substrate texture is retained.

4. WORK FASTER AND EASIER

WAGNER paint spray systems enable you to save time compared to working with a brush and roller. This is particularly noticeable on large surface areas but also when coating objects. On walls and ceilings there is no need to cut in corners and edges with a brush - instead the paint is applied quickly and evenly to achieve good coverage in a single coat. Edges and stripes caused by repainting with a roller are a thing of the past. Corners and areas which are difficult to access with a brush can be coated in record time with a precise adjustable paint jet.

APPROXIMATE TIME REQUIRED*

| Object | Spray gun | 4 cm brush or roller | Time saving |
|----------------|-------------|----------------------|-------------|
| Dresser | ca. 25 min. | ca. 85 min. | ca. 70% |
| Window shutter | ca. 10 min. | ca. 70 min. | ca. 85% |
| Room measuring | ca. 15 min. | ca. 58 min. | ca. 75% |

* Average time excluding preparation and cleaning.

WAGNER SEAL OF QUALITY

To provide more guidance the following contains information on our product symbols, seals of quality and technologies. They are repeated throughout the catalogue.



QUALITY SINCE 1947

Perfect surfaces and added value are our passion. Bringing colour, protection and function to surfaces is our mission. We dedicate all of our technical expertise to your objects and products, and support you with personal service. Using innovative technologies and highly efficient, reliable and user-friendly solutions, we are constantly setting new standards in surface technology.

We offer quality: with a three-year manufacturer's warranty. That's not all: this warranty can be extended by an additional year by registering online. This means peace of mind for 4 years.

go.wagner-group.com/3plus1



CLICK & PAINT SYSTEM – CHANGE EQUIPMENT IN SECONDS

We have a wide range of accessories for our paint spraying systems that can be easily changed using the practical Click&Paint system. Switch the material and colour shade in no time at all. Arduous and flawed replacement of needle valve nozzle sets is not necessary any longer.

1. Switch to the next colour and, with it, to the next project.
2. Push the lever for loosening the spraying attachment off the airgun. Then turn the spraying attachment by 90°.
3. Push the spraying attachment off the airgun. Yet you are ready for the next attachment and the next project in another colour or with a different material.

CLICK & PAINT



POWER FOR ALL ALLIANCE

ONE BATTERY - MANY DEVICES



The Bosch POWER FOR ALL ALLIANCE is one of the largest cross-brand battery systems in the world. Within the alliance, one battery works for all 18V appliances and therefore offers a wide range of applications for your home and garden.

WAGNER is also a partner and enables users of the 18V battery-powered tools unlimited flexibility when carrying out a variety of renovation projects. Currently the 18V batteries are compatible with more than 100 different products from 11 manufacturers. Batteries and chargers from different manufacturers are now a thing of the past. At the same time, you are doing something good for the environment and saving both money and space.



UNIVERSAL SPRAYER

SPRAYING SYSTEMS FOR WALL PAINT, WOOD AND METAL PAINTS

FLEXIBLE AND VERSATILE - FOR PROJECTS INSIDE AND OUT

Whether you want to go outside and paint or varnish your garden furniture or fences or stay inside and give the living room walls a fresh, new coat of paint: If you're looking for a spray system that covers the widest range of applications then the FLEXiO spray units are ideal for you. These devices allow you to apply both low- and high-viscosity materials. This makes WAGNER's multipurpose spray units exceptionally versatile.

DIFFERENCE BETWEEN HVLP- AND AIRLESS TECHNOLOGY

The „High Volume Low Pressure“ technology has its origin in industrial surface technology and allows you to achieve an excellent surface finish: material flow rate, fine adjustment of the spray jet, reduction of the spray mist and precise paint application. In contrast to the HVLP fine spray systems, Airless technology uses a pump to pressurize the material without the use of air and forces it through the nozzle. The material is atomized and reaches the object as a spray jet.

UNIVERSAL SPRAYER W 510
VERSATILE PAINT SPRAYER FOR INTERIORS AND EXTERIORS

With two spray attachments for both high and low viscosity materials, the W 510 can be used to spraying wall paints as well as wood and metal paints. The three-way adjustable nozzle provides flexibility for spraying - horizontally, vertically and also a round detailed jet.



TECHNICAL DATA

| | |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|
| Performance | 15 m ² in 13 min |
| Special equipment | 3-way adjustable paint jet |
| Paint volume | 0-230 ml/min |
| Atomisation power | 110 W |
| Power consumption | 460 W |
| Max. viscosity | For particularly smooth substrates or when using viscous gel-like materials please dilute according to the paint manufacturer's instructions. |
| Reservoir capacity | 1300 ml for wall paint 800 ml for wood & metal paints |
| Part number | 2402017 |



UNIVERSAL SPRAYER W 575 FLEXiO
THE HANDY SPRAYING SYSTEM FOR EVERY PROJECT

The W 575 FLEXiO is ideal for a variety of different painting objects. With a spray attachment specially for the application of interior wall paint and a second spray attachment for low-viscosity materials such as enamels and varnishes, the unit is suitable for a wide range of uses. With the two-stage high-performance turbine, the W 575 FLEXiO even sprays almost all materials unthinned with perfect paint application.



TECHNICAL DATA

| | |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| Performance | 15 m ² in 6 min |
| Special equipment | · wood & metal spray attachment · two-stage air volume adjustment |
| Paint volume | fully adjustable, 0-500 ml/min |
| Atomisation power | 200 W |
| Power consumption | 630 W |
| Max. viscosity | Can handle all standard paints without diluting - on smooth surfaces and for particularly thick, high viscosity materials, dilute by 10% |
| Reservoir capacity | 1300 ml for wall paint 800 ml for wood & metal paints |
| Part number | 2397237 |



UNIVERSAL SPRAYER W 590 FLEXiO
THE FLEXIBLE SPRAYING SYSTEM FOR INTERIOR AND EXTERIOR USE

Thanks to its two spray attachments for low and high-viscosity materials, you are ideally equipped to apply wall and ceiling as well as wood and metal paints. The powerful X-Boost turbine sprays all conventional materials without thinning using the innovative I-Spray nozzle. The W 590 FLEXiO comes in a practical carry case.



TECHNICAL DATA

| | |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| Performance | 15 m ² in 6 min |
| Special equipment | · practical case · variable air flow control · wood & metal spray attachment |
| Paint volume | fully adjustable, 0-500 ml/min |
| Atomisation power | 200 W |
| Power consumption | 630 W |
| Max. viscosity | Can handle all standard paints without diluting - on smooth surfaces and for particularly thick, high viscosity materials, dilute by 10% |
| Reservoir capacity | 1300 ml for wall paint 800 ml for wood & metal paints |
| Part number | 2361538 |



UNIVERSAL SPRAYER W 600 FLEXiO 18V
THE PRACTICAL BATTERY-POWERED PAINT SPRAYER FOR UNLIMITED FREEDOM OF MOVEMENT

Now you can spray both thick and thin materials quickly and with perfect coverage and opacity: without the need of a power supply. The battery-operated W 600 FLEXiO 18V paint sprayer allows unlimited freedom of movement for tackling all your small and large projects in your home and garden. All BOSCH 18V rechargeable batteries are compatible with the W 600 FLEXiO 18V sprayer. Thanks to the spray attachments included in the product, it is suitable for exteriors and interiors using wall, wood and metal paints.



TECHNICAL DATA

| | |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| FlächenPerformance | 15 m ² in 6 min |
| Special equipment | · 5-stage air volume control · Memory function · Compatible with BOSCH POWER FOR ALL ALLIANCE 18V battery packs |
| Paint volume | fully adjustable, 0-500 ml/min |
| Max. viscosity | Can handle all standard paints without diluting - on smooth surfaces and for particularly thick, high viscosity materials, dilute by 10% |
| Reservoir capacity | 1300 ml for wall paint 800 ml for wood & metal paints |
| Part number | 2420174 |



UNIVERSAL SPRAYER W690 FLEXiO
THE UNIVERSAL PAINT SPRAYING SYSTEM FOR INDOOR AND OUTDOOR USE

The W 690 FLEXiO brings you two spray systems for the price of one: The two spray attachments mean that the unit is suitable for both interior and exterior use. Whether you want to spray interior wall paints or ena-mels and varnishes: You get always fantastic results due to uniform paint application - even on diffi cult surfaces.



TECHNICAL DATA

| | |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| Performance | 15 m ² in 6 min |
| Special equipment | · variable air fl ow contro · wood & metal spray attachment |
| Paint volume | fully adjustable, 0-400 ml/min |
| Atomisation power | 200 W |
| Power consumption | 630 W |
| Max. viscosity | Can handle all standard paints without diluting - on smooth surfaces and for particularly thick, high viscosity materials, dilute by 10% |
| Reservoir capacity | 1800 ml for wall paint 800 ml for wood & metal paints |
| Hose length | 3.5 m |
| Part number | 2361543 |



UNIVERSAL SPRAYER W 950 FLEXiO
EFFORTLESS PAINT APPLICATION ON WALLS AND CEILINGS

The W 950 FLEXiO makes your work even easier: The paint is drawn in directly from the paint tank, fed through a hose to the tip of the lance which then covers the wall perfectly. Together with an additional spray attachment, the adapter supplied allows you to adapt the unit to apply enamel paints and varnishes as well.



TECHNICAL DATA

| | |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| Performance | 15 m ² in 5 min |
| Special equipment | · lance for ceilings · direct feed · self-cleaning function · wood & metal spray attachment |
| Paint volume | fully adjustable, 0-525 ml/min |
| Atomisation power | 200 W |
| Power consumption | 630 W |
| Max. viscosity | Can handle all standard paints without diluting - on smooth surfaces and for particularly thick, high viscosi-ty materials, dilute by 10% |
| Reservoir capacity | 800 ml for wood & metal paints |
| Spray lance length | 70 cm |
| Working radius | 8.5 m |
| Part number | 2361555 |



UNIVERSAL SPRAYER W 975 FLEXiO
EFFORTLESS PAINT APPLICATION THANKS TO DIRECT SUCTION AND LANCE

The W 975 FLEXiO draws the paint directly from the container. The paint is fed through a hose to the tip of the lance which then covers the wall perfectly. With the enclosed adapter and additional spray attachment the unit can also be used for the application of wood and metal paints.



TECHNICAL DATA

| | |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| FlächenPerformance | 15 m ² in 5 min |
| Special equipment | · lance for ceilings · direct feed · self-cleaning function · wood & metal spray attachment |
| Paint volume | fully adjustable, 0-525 ml/min |
| Atomisation power | 200 W |
| Power consumption | 630 W |
| Max. viscosity | Can handle all standard paints without diluting - on smooth surfaces and for particularly thick, high viscosi-ty materials, dilute by 10% |
| Reservoir capacity | 800 ml for wood & metal paints |
| Spray lance length | 70 cm |
| Working radius | 8.5 m |
| Part number | 2454265 |



I-SPRAY SPRAY ATTACHMENT - IN DETAIL



PATENTED I-SPRAY NOZZLE

adjustable for spraying horizontally (1) or vertically (2)

ADJUSTABLE SPRAY JET WIDTH

narrow or wide depending on the object to be painted

ADJUSTABLE DELIVERY RATE

paint flow can be adjusted depending on the size of the project and your working speed

ONLY 3 PARTS

low cleaning effort and easy to assemble



AIRLESS SPRAYER

SPRAYING SYSTEMS FOR WALL PAINT, WOOD AND METAL PAINTS WITH HEA TECHNOLOGY

AIRLESS SPRAYERS OF THE NEW GENERATION - WITH HIGH EFFICIENCY AIRLESS TECHNOLOGY

Control Pro stands for a revolutionary generation of airless sprayers, equipped with a completely new technology - High Efficiency Airless (HEA). This combines innovative nozzle technology with a highly efficient but low-pressure pump.

SPRAYING SYSTEMS WITH HEA-TECHNOLOGY

Achieving the perfect result more quickly and more accurately as well as with 55% less overspray with WAGNER HEA Technology. The revolutionary generation of WAGNER High Efficiency Airless sprayers combines innovative nozzle technology with a highly efficient yet pressure-reduced pump.




CONTROL 150 M
THE PERFECT GATEWAY TO WAGNER'S WORLD
OF AIRLESS PAINT SPRAYING

The compact and flexible solution for all do-it-yourself enthusiasts. Thanks to the combination of easy-to-fill paint tank, comfortable carrying option and innovative High Efficiency Airless (HEA) Technology, spraying with the Control 150 M will turn into an unprecedented experience. Whether garden fence or carport, basement wall or ceiling - you have never applied paint, lacquer or varnishes this quickly and consistently before.



TECHNICAL DATA

| | |
|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------|
| Special equipment | - high-quality airless gun - 7.5 m airless hose - 311 and 515 HEA swivel nozzles for high and low-viscosity materials - filter kit |
| Paint volume | fully adjustable, 0-900 ml/min |
| Spraying pressure | 110 bar |
| Power consumption | 350 W |
| Reservoir capacity | 5500 ml |
| Gun | Airless gun HEA T2 Gun |
| Hose length | 7.5 m |
| Part number | 2394312 |



CONTROL PRO 250 M
EASY AND HIGH QUALITY PAINTING

The Control Pro 250 M is a compact airless paint sprayer with a carry handle, which is designed for experienced DIY'ers, maintenance personnel and crafts people with infrequent spray painting projects. The material is atomized using High Efficiency Airless (HEA) technology with a reduced pressure, generating perfect coverage with minimum overspray. Combined with a new nozzle design, this Airless spray system offers maximum control and professional results without any streaking. It allows you to work with all water and solvent based paints, varnishes and wood preservatives as well as emulsion and latex paints. Thanks to the high-quality Airless gun with two-finger trigger, maximum operating comfort is guaranteed. The 9-meter hose is extremely flexible and offers a wide working radius.




TECHNICAL DATA

| | |
|-------------------|-----------------------------------------------------------------------|
| Special equipment | 311 und 517 HEA reversible nozzles for high and low-viscosity liquids |
| Paint volume | 1.25 l/min |
| Spraying pressure | 110 bar |
| Power consumption | 550 W |
| Gun | Control Pro Airless Gun Hybrid |
| Hose length | 9 m |
| Part number | 2371053 |



CONTROL PRO 250 R
AIRLESS PAINT SPRAYER FROM
THE LATEST GENERATION –
USER-FRIENDLY AND PRECISE

The Control Pro 250 R is a compact airless paint sprayer with a carry handle, which is designed for experienced DIY'ers. It allows you to work with all solvent and water based paints, varnishes and wood preservatives as well as emulsion and latex paints.



TECHNICAL DATA

| | |
|-------------------|-----------------------------------------------------------------------|
| Special equipment | 311 und 517 HEA reversible nozzles for high and low-viscosity liquids |
| Paint volume | 1.25 l/min |
| Spraying pressure | 110 bar |
| Power consumption | 550 W |
| Gun | Control Pro Airless Gun Hybrid |
| Hose length | 9 m |
| Part number | 2371069 |



CONTROL PRO 275 M
HIGHLY EFFICIENT AND CONVENIENT PAINT APPLICATION

The Control Pro 275 M is a compact airless sprayer designed for the experienced DIYers to handle all painting tasks. Using High Efficiency Airless technology the material is atomised with reduced pressure. This reduces overspray and provides perfect coverage. Combined with a new nozzle design, this airless sprayer offers maximum control and guarantees streak-free, perfect paint coverage.



TECHNICAL DATA

| | |
|-------------------|-----------------------------------------------------------------------|
| Special equipment | 311 und 517 HEA reversible nozzles for high and low-viscosity liquids |
| Paint volume | 1.25 l/min |
| Spraying pressure | 110 bar |
| Power consumption | 550 W |
| Gun | Control Pro Airless Gun Hybrid |
| Hose length | 9 m |
| Part number | 2443409 |



CONTROL PRO 300 MOVE 18V
BRING MOVEMENT TO YOUR PROJECT

Whether emulsion, varnishes, or wood and metal paints - the Control Pro 300 Move 18V offers the ideal solution for almost all water-based and solvent-based materials. At the same time it delivers outstanding results for every area of application, whether indoors or outdoors. The intelligent design of the Control Pro 300 Move 18V with adjustable and detachable carrying straps offers three different application options: conveniently as a backpack, stationary on the floor or mobile in the hand.



TECHNICAL DATA

| | |
|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Special equipment | Innovative airless gun HEA T2-Gun · Battery-powered with Bosch AMPShare battery · 311 and 515 HEA swivel nozzles for high and low-viscosity materials · Practical carrying straps allow it to be carried as a backpack |
| Paint volume | fully adjustable, 0-900 ml/min |
| Spraying pressure | 110 bar |
| Power consumption | 350 W |
| Reservoir capacity | 4700 ml |
| Gun | Airless gun HEA T2 gun |
| Hose length | 7.6 m |
| Part number | 2443925 Kit version (incl. battery and charger) 2443929 Bare unit (without battery and charger) |



CONTROL PRO 350 M
VERSATILE AND MOBILE

Powerful and mobile Airless paint sprayer for all painting jobs, including medium to large objects, for experienced DIYers, maintenance personnel and crafts people with spray painting projects. Equipped with High Efficiency Airless technology, utilising reduced pressure and a new innovative nozzle, the Control Pro 350 M guarantees streak-free, perfect paint coverage. All solvent and water based paints, varnishes and wood preservatives as well as emulsion and latex paints can be used, with up to 55% less overspray compared with conventional Airless spraying. The high-quality Airless gun with two-finger trigger and 15-meter, ultra-flexible hose offers maximum operating comfort. The cart with telescopic handle saves space while transporting and storing the device and is easy to moving around the workplace.



TECHNICAL DATA

| | |
|-------------------|-----------------------------------------------------------------------|
| Special equipment | 311 und 517 HEA reversible nozzles for high and low-viscosity liquids |
| Paint volume | 1.50 l/min |
| Spraying pressure | 110 bar |
| Power consumption | 600 W |
| Gun | Control Pro Airless Gun Hybrid |
| Hose length | 15 m |
| Part number | 2371057 |



CONTROL PRO 350 R
WITH THE LATEST AIRLESS SPRAY TECHNOLOGY FOR UNIFORM AND EFFECTIVE PAINT APPLICATION

Control Pro 350 R represents a new generation of revolutionary airless paint sprayers based on a completely new technology – High Efficiency Airless (HEA). The new nozzle design allows a softer spray jet, so you always get streak-free results with perfect coverage when working with emulsion, varnish and other paints.



TECHNICAL DATA

| | |
|-------------------|-----------------------------------------------------------------------|
| Special equipment | 311 und 517 HEA reversible nozzles for high and low-viscosity liquids |
| Paint volume | 1.50 l/min |
| Spraying pressure | 110 bar |
| Power consumption | 600 W |
| Gun | Control Pro Airless Gun Hybrid |
| Hose length | 15 m |
| Part number | 2371073 |





WALL PAINT

Wall Sprayer
Wall Roller

19
20

GET IT ON THE WALL! SPRAY ONCE RATHER THAN BRUSHING X TIMES

Regardless of whether you are just moving in or it's simply time for a new coat of paint - ideally you want the job to be completed quickly, be enjoyable and above all produce perfect results.

With WAGNER you can do all three. Our innovative paint systems for emulsion and internal wall paint applied either by sprayer or roller with integrated reservoir. No more brush hairs in the paint, no drips or mess, no bending or stretching and above all - excellent results.

In just one coat you can achieve uniform coverage with our wall paint spray systems to save you having to complete a second or even a third coat including waiting for the drying time.

It enables you to make your dreams come true. Have fun with it - and get that paint onto the wall.

WALL SPRAYER W 450 THE LIGHTWEIGHT PAINT SPRAYING SYSTEM FOR INTERIOR WALLS

The W 450 paint spraying system for walls and ceilings makes painting simple and fun. The W 450 not only enables you to re-spray walls much faster than using a brush or a roller, it can also tackle corners and edges without needing to cut in with a brush. You can also precisely spray around doors and windows as the paint jet and the paint volume is fully adjustable.



TECHNICAL DATA

| | |
|--------------------|----------------------------------------------------------|
| Performance | 15 m ² in 10 min |
| Special equipment | - |
| Paint volume | fully adjustable, 0-230 ml/min |
| Atomisation power | 130 W |
| Power consumption | 460 W |
| Max. viscosity | will handle most internal wall paint maximum 10% diluted |
| Reservoir capacity | 1300 ml |
| Hose length | 1.8 m |
| Part number | 2361524 |





WALL ROLLER EASYROLL
THE SIMPLE SOLUTION FOR MANUAL PAINT APPLICATION

Roller-painting has never been simpler: You prepare the paint, connect the suction system to the paint tank and fill the unit with paint. You then pump the paint manually into the roller using the power trigger. Decide for yourself how quickly you want to work. No more drips and mess! Much easier to use and cleaner than a conventional roller.

TECHNICAL DATA

| | |
|--------------------|------------------------------------------------------------|
| Performance | 15 m ² in 12 min |
| Special equipment | reservoir capacity for an area of approx. 5 m ² |
| Roller width | 23 cm |
| Pile height | 12 mm |
| Reservoir capacity | 550 ml |
| Part number | 2419944 |



CLEANLY ROLLED!

The process is as follows:

1. The paint is fed through the roller arm into the inner roller with the help of a trigger.



2. Thanks to the perforated structure of the roller, the paint is evenly distributed in the pile. Since most of the paint is not on the outside of the roller, there is no spattering during rolling, in contrast to conventional rolling.



WOOD & METAL SPRAYER

Spraying systems Wood&Metal with HVLP technology

GET THAT COATING ON!
SIMPLE AND PERMANENT PROTECTIVE COATINGS

Many objects outside the house must be regularly protected from the weather as well as wood and metal inside your home. So whether it is a garden fence, a bannister, window shutters, furniture, doors or radiators - recoating is a lot of work and it's hardly a pleasure with a brush. Fortunately there are WAGNER's spray systems.

Fine spray systems and manual spray guns win hands down over brushes when it comes to the application of wood and metal paints. They enable you to work much quicker and can also reach difficult to access areas such as corners and edges. You can achieve smooth, homogeneous surfaces in a single coat. The excellent coverage means that spraying your items provides them with much better protection against the weather.

That means you can make your home gleam like new in no time and you will enjoy every minute of it.

WOOD&METAL SPRAYER W 100
THE HANDY SOLUTION FOR SMALL AND MEDIUM PROJECTS

Practical fine spraying system for small to medium-sized projects. 1000 possibilities for outstanding paint application on fences, doors, furniture, wooden toys and many more. Precise painting of enamels, varnishes, protective wood-staining products and other liquid.



TECHNICAL DATA

| | |
|--------------------|--------------------------------|
| Performance | 5 m ² in 12 min |
| Special equipment | - |
| Paint volume | fully adjustable, 0-110 ml/min |
| Atomisation power | 65 W |
| Power consumption | 280 W |
| Max. viscosity | 90 DIN-sec |
| Reservoir capacity | 800 ml |
| Part number | 2361507 |

WOOD&METAL SPRAYER W 125
LIGHTWEIGHT AND COMPACT PAINT SPRAYING SYSTEM IDEAL FOR FIRST-TIME USERS

Ideal introduction to the world of paint spraying for first-time users. Compact size and light weight for fatigue-free working. Intuitive user-friendly settings ensure easy handling. Perfectly suited for small to medium-sized projects both indoors and outdoors thanks to the three-way adjustable spray jet. It offers horizontal, vertical and detailed spraying. Perfect application of enamels, varnishes, protective wood-staining products, primers, oils and other liquids.



TECHNICAL DATA

| | |
|--------------------|----------------------------|
| Performance | 5 m ² in 10 min |
| Special equipment | - |
| Paint volume | 150 ml/min |
| Atomisation power | 65 W |
| Power consumption | 350 W |
| Max. viscosity | 100 DIN-sec |
| Reservoir capacity | 600 ml |
| Part number | 2409303 |

WOOD&METAL SPRAYER W 150
THE COMPACT SPRAYING SYSTEM FOR PAINT AND VARNISH


The W 150 paint and varnish spraying system is ideal for projects around your home. The three-way-adjustable spray jet, which offers horizontal, vertical and detailed spraying ensures you can spray whichever way you prefer. Thanks to the unique Click&Paint system, changing colour is effortless, because other spray attachments can be simply clicked on.



TECHNICAL DATA

| | |
|--------------------|----------------------------|
| Performance | 5 m ² in 10 min |
| Special equipment | - |
| Paint volume | 0-140 ml/min |
| Atomisation power | 70 W |
| Power consumption | 300 W |
| Max. viscosity | 100 DIN-sec |
| Reservoir capacity | 600 ml |
| Part number | 2359328 |





CLEAN & CARE

Devices for the cleaning and care of surfaces

Perfect solutions for any cleaning challenge in and around the home. From innovative cleaning tools to highly effective cleaning agents, we offer everything you need to clean, care and protect your surfaces.

Say goodbye to time-consuming cleaning rituals and make the most of your surfaces and remove dirt faster than it is created.



**LEVARO POWERBRUSH 18V
REVITALIZE YOUR OUTDOOR SPACE!**

Simplify your cleaning routine with the LEVARO PowerBrush 18V multifunctional patio cleaner - the intelligent solution for easy maintenance and deep cleaning of your exterior area. Thanks to its gentle cleaning function, it is perfect for a variety of different surfaces such as wooden floors, natural stone, concrete and WPC decking surfaces. Say goodbye to time-consuming cleaning rituals and make the most of your surface and remove dirt faster than it is created - anytime, anywhere!



TECHNICAL DATA

| | |
|----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product advantages | Dirt collection instead of just loosening Wet and Dry cleaning 100% Flexibility – no cable, no garden hose All Kinds of outdoor surfaces and dirt |
| Fresh water tank | 700 ml |
| Dirt tank | 500 ml |
| Area coverage | 10 m ² in 10 min. |
| Brush speed | Brush speed 950 rpm |
| Spray delivery rate | 195 ml/min |
| Part number | 2429184 |



**POWER STEAMER 915 E
FOR A CLEAN HOME TO FEEL GOOD IN**


The Power Steamer 915 E is a multifunctional steam cleaner with 18 accessories that can be used to clean numerous areas and surfaces in the home, including bathrooms, kitchens and floors. It also removes stubborn dirt around the house from barbecues, garden furniture, cars and more. It eliminates up to 99.9% of bacteria and viruses with pure water vapour.



TECHNICAL DATA

| | |
|---------------------------|------------------------------------------------------------------------------------------------------------------------------|
| Product advantages | Product benefits Removes dirt, mould and, with the enclosed steam plate, old wallpaper easily and without chemical additives |
| Steaming time | approx. 40 min. |
| Heating time | approx. 7 min. |
| Power consumption | 1500 W |
| Tank capacity | 1.2 l |
| Hose length | 2.4 m |
| Part number | 2452622 |





WALLPAPER STEAMER

REMOVING WALLPAPER IN AN ENVIRONMENTALLY FRIENDLY AND SIMPLE WAY

You're looking forward to a change of wallpaper - but before the new one can be put up, the old one must first come off. And that can be quite a pain if you don't use our steam wallpaper removers. They work without the need for lengthy soaking and tedious scraping!

With the WAGNER steam wallpaper strippers, you not only avoid stress, but also protect your health and the environment. All of our devices work with steam and without any chemical additives. The light steam plates make it very easy for you to work on the wall. And the Power- Steam-Control automatic switch-off protects against overheating - so you always work safely.

In no time at all, your old wallpaper is replaced with beautiful new wallpaper.

STEAMFORCE UND STEAMFORCE PLUS THE NEWEST TOP MODELS


The wallpaper steamer SteamForce uses the power of steam for the easy and environmentally friendly removal of wallpaper without chemical additives. A long steaming time allows large surfaces to be processed without breaks. Tireless working is made possible thanks to the light and handy steamer plate. The high working speed is particularly evident when removing stubborn wallpaper. Available in two versions: without and with accessories. SteamForce Plus also comes with a small steamer plate and a scraper.



TECHNICAL DATA

| | |
|--------------------|-----------------------------------------------------------------------------------------------|
| Steam time | max. 70 min. |
| Special equipment | large steamer plate (SteamForce), large and small steamer plate and scraper (SteamForce Plus) |
| Reservoir capacity | 4 l |
| Power consumption | 2000 W |
| Hose length | 3.7 m |
| Steam plate size | 20 x 28 cm (große Dampfplatte) 7.5 x 15 cm (kleine Dampfplatte) |
| Part number | 2410385 (SteamForce) 2404466 (SteamForce Plus) |





HEAT GUN

VERSATILE TOOL FOR 101+ APPLICATIONS WAGNER FURNO - FOR HOME AND GARDEN PROJECTS!

WAGNER heat guns do more than just quickly remove paint and varnish. The Furnos are ideal for bending plastic pipes, removing vinyl tiles, soldering copper pipes, heat shrink tubing, roofing, lead work, defrosting, drying and a range of automotive applications.

WAGNER Furno heat guns provide revolutionary design and advanced technology for unrivalled comfort, usability and safety.

This combined with unique features extends the range of applications to remove, shape and fix items around your home and garden. For example they had higher airflow for increased speed.

FURNO 100 THE MODEL FOR CREATIVE DIY-ERS

FURNO 100 is perfect for creative people who like do things themselves, amateur bakers and for small jobs around the house. With two temperature levels of 230°C and 360°C, it can be used to complete a wide range of projects. As well as stripping paint, it can also be used to mould, cook and bake, craft and much more - it's a real all-rounder. The gun offers three positions for perfect balance and comfort while working. The fold-out wire is perfect for hands-free working and the pin position is especially suitable for more precise working. A thermal automatic shut-off function ensures safety.



TECHNICAL DATA

| | |
|----------------------|------------------------------------------------------|
| Temperature settings | 2 |
| Temperature range | 230°C and 360°C |
| Special equipment | 3 grip positions, enable for example hands-free work |
| Airflow capacity | 150 l / min. |
| Power consumption | 150 W |
| Cable length | 2 m |
| Part number | 2398546 |



FURNO 300 DIY HEAT GUN FOR HOME AND GARDEN PROJECTS

This DIY heat tool is ideally suited for first time users, small projects or light work in and around the home. This electric heat gun is a safe and effective alternative to using a blow torch. With two temperature set-tings of 400°C and 575°C you can accomplish a range of tasks. The gun includes an ergonomical-ly designed handle for perfect balance and comfort.



TECHNICAL DATA

| | |
|----------------------|------------------|
| Temperature settings | 2 |
| Temperature range | 400°C and 575°C |
| Special equipment | practical hanger |
| Airflow capacity | 675 l / min. |
| Power consumption | 1600 W |
| Cable length | 2 m |
| Part number | 2359348 |



FURNO 500
THE POWERFUL ADAPTABLE HEAT GUN

This professionally rated electronic heat gun has a graphic LED display which illuminates the 6 temperature settings from 60°C to 600°C for a wide range of applications. The display has a memory function to recall the last settings. The gun features two air flow settings and a cool down mode to prolong the heater element life.



TECHNICAL DATA

| | |
|----------------------|-------------------------------------------|
| Temperature settings | 6 |
| Temperature range | 60°C to 600°C |
| Special equipment | concentrator- and glass protection nozzle |
| Air flow capacity | 800 l / min. |
| Power consumption | 2000 W |
| Cable length | 2 m |
| Part number | 2359352 |

FURNO 550 18 V
THE MODEL FOR COMPLETE FREEDOM OF MOVEMENT

Discover complete freedom of movement with this battery-powered Furno 550 18V heat gun for all your DIY projects. With five different temperature settings between 300°C and 600°C, the heat gun is ideal for a wide range of applications in your home and garden.



TECHNICAL DATA

| | |
|----------------------|-----------------------------------------------------------------------------------------------|
| Temperature settings | 5 |
| Temperature range | 300°C to 610°C |
| Special equipment | - Reflector and wide jet nozzle - Compatible with BOSCH POWER FOR ALL ALLIANCE 18V battery |
| Air flow capacity | 110 l / min. |
| Part number | 2420168 |

FURNO 750
PERFECT FOR MULTIPLE PROJECTS


This professionally rated electronic heat gun has a LCD Digital display allowing you to have precise heat control with fully adjustable temperature range from 50°C to 630°C for a vast range of applications. The display has a memory function to recall the last settings. The gun features 6 air flow settings and a cool down mode to prolong the heater element life.




TECHNICAL DATA

| | |
|----------------------|---------------------------------------------------------------------------------------------------------------------|
| Temperature settings | variable |
| Temperature range | 50°C to 630°C |
| Special equipment | - practical case - 5-in-1 scrap - concentrator- and glass protection nozzle hook nozzle, wide concentrator |
| Air flow capacity | 820 l / min. |
| Power consumption | 2000 W |
| Cable length | 2 m |
| Part number | 2359358 |

101+ FURNO HEAT GUNS APPLICATIONS





ACCESSORIES

| | |
|-------------------------------------------|----|
| Accessories HVLP | 35 |
| Accessories Airless Spraying Systems | 36 |
| Accessories Roller | 37 |
| Accessories Cordless Devices | 37 |
| Accessories Multifunctional Patio Cleaner | 38 |
| Accessories Steam Cleaner | 39 |
| Accessories Heat Guns | 40 |
| Accessories Steamer | 41 |

THE PERFECT ACCESSORIES FOR EVERY PROJECT! VERSATILE AND EASY

You will also find all the accessories you need to tackle all your DIY projects at WAGNER.
To make your work even more pleasant, efficient and more fun!

ACCESSORIES FOR SPRAYING SYSTEMS WITH **CLICK & PAINT**[®] TECHNOLOGY



SPRAY ATTACHMENT WOOD&METAL EXTRA »BRILLIANT«

For smooth objects. The enhanced nozzle and air system ensure high quality, brilliant finishes. 600 ml

Part number: 2361738



SPRAY ATTACHMENT WOOD&METAL EXTRA »DETAIL«

For spraying small items. Also suitable for completing detail work cleanly and precisely. 250 ml

Part number: 2361744



SPRAY ATTACHMENT WOOD&METAL EXTRA »CORNER & REACH«

for hard to reach areas such as radiators and cabinet corners. The paint jet is diverted through 25° at the end of the attachment. 600 ml

Part number: 2361742



SPRAY ATTACHMENT WOOD&METAL EXTRA »STANDARD«

Suitable for a wide range of uses and ideal for producing a uniform, perfect coating on small to medium objects. 800 ml

Part number: 2361730



SPRAY ATTACHMENT WOOD&METAL EXTRA »LARGE«

This accessory enables you to continue spraying for a long time without having to stop. 1400 ml

Part number: 2361736



SPRAY ATTACHMENT WALL EXTRA »I-SPRAY«

For the easy application of interior emulsion and latex paints. 1300 ml or 1800 ml

Part number: 2361746 (1300 ml) / 2361749 (1800 ml)



SPRAY ATTACHMENT WALL EXTRA »TEXTURE«

Spray attachment designed especially for decorative plasters and textured paints with a grain size of up to 1 mm and primers. High-quality and streak-free finishes, thanks to even application of textured paints. 1300 ml

Part number: 2361754



SPRAY ATTACHMENT GRAVITY GUN

For an even application of wood and metal paints, for small to medium projects. 150 ml and 600 ml

Part number: 2412884



UNIVERSAL EXTRA »EXTENSION«

Walls and ceilings can be sprayed very easily with this thanks to its greater range and is also ideal for the application of lacquers, stains and varnishes on floors and decking. 60 cm

Part number: 2361756

ACCESSORIES FOR AIRLESS SPRAYING SYSTEMS



HEA TIPS

Up to 55% less overspray and perfect coverage and streak-free results thanks to softer spray jet.

HEA TIP 311: for low-viscosity water and solvent-based materials including varnishes, lacquers, oils and release agents - **Part number:** 0517311

HEA TIP 517: for viscous materials such as latex paints, emulsions and rust protection paints - **Part number:** 0517517

HEA TIP 619: for large areas and viscous materials such as latex paints, emulsions and anti-corrosive paints - **Part number:** 0517619



FILTERS FINE

Fine mesh size for low-viscosity materials such as water and solvent based wood and metal paints, oils, separating agents, synthetic resin varnishes, PVC varnishes

Part number: 418711



FILTERS MEDIUM

Medium mesh size for water and solvent based varnishes, undercoats, primers, fillers, latex and emulsion paints for interior use

Part number: 418712



FILTERS COARSE

Coarse mesh size for viscous materials such as water and solvent based paints, undercoats, primers, fillers, latex and emulsion paints for interior use as well as rust protection paints for exterior use

Part number: 418713



SPRAY GUN ASSEMBLY (INCL. NOZZLE HOLDER)

Lightweight gun with ergonomic handle and extra-light two-finger trigger for maximum operating comfort. 1-finger safety catch - release and spray with one hand **Part number:** 0517100



AIRLESS HOSE

Flexible and durable hose for safe and controlled work. Long reach thanks to 15 m length and low weight for maximum ease of use.

Part number: 0517802



NOZZLE HOLDER

Perfect nozzle fit and suitable for all HEA TIP nozzles

Part number: 0517200



GUN EXTENSION 30 CM

Ergonomic and comfortable paint application on ceilings, high walls or floors. Extension (G thread) including nozzle holder for high-reach areas -

Part number: 0517700

SUITABLE FOR T2-GUN



TIP EXTENSION T-SERIES 25 CM

Ergonomic and comfortable paint application on ceilings, high walls or floors. Extension (G thread) including nozzle holder for high-reach area

Part number: 2451588



TIP EXTENSION T-SERIES 50 CM

Ergonomic and comfortable paint application on ceilings, high walls or floors. Extension (G thread) including nozzle holder for high-reach areas

Part number: 2454049



TIP GUARD T-SERIES

Perfect nozzle fit and suitable for all HEA TIP nozzles

Part number: 2450287



FILTER FINE T-SERIES

Fine mesh size for low-viscosity materials such as water and solvent based wood and metal paints, oils, separating agents, synthetic resin varnishes, PVC varnishes

Part number: 2450276



FILTER MEDIUM T-SERIES

Medium mesh size for water and solvent based varnishes, undercoats, primers, fillers, latex and emulsion paints for interior use

Part number: 2450282



FILTER COARSE T-SERIES

Coarse mesh size for viscous materials such as water and solvent based paints, undercoats, primers, fillers, latex and emulsion paints for interior use as well as rust protection paints for exterior use

Part number: 2450281

ACCESSORIES FOR ROLLER



PAINT ROLLER 12 MM

For smooth and slightly textured surfaces, width 23 cm

Part number: 0998230



PAINT ROLLER 20 MM

For slightly textured and rough surfaces, width 23 cm

Part number: 0245717

ACCESSORIES FOR CORDLESS DEVICES



STARTER-KIT 18 V

18V lithium-ion battery (PBA 18V 2.5 Ah W-C) and charger (AL 1810 CV)

Part number: 2448617

ACCESSORIES FOR MULTIFUNCTIONAL PATIO CLEANER



STONE BRUSH KIT INTENSE

Cleaning brushes for heavily soiled stone surfaces.
Part number: 2448771



WOOD BRUSH KIT INTENSE

Cleaning brushes for heavily soiled wood surfaces.
Part number: 2456734



STONE BRUSH KIT SMOOTH

Cleaning brushes for smooth stone surfaces.
Part number: 2448770



LEVARO COVER

Weather protection
Part number: 2449853



WOOD CLEANER 3IN1

Concentrate for regular cleaning of wood and WPC surfaces outdoors. Simultaneously effective protection against new dirt and environmental deposits thanks to the waterproofing effect.
Part number: 2448774



STONE CLEANER 3IN1

Concentrate for the regular cleaning of outdoor stone surfaces. Simultaneously, effective protection against new dirt and environmental deposits due to the waterproofing effect.
Part number: 2448775



INTENSE CLEANER DEEP

Concentrate for the basic cleaning of wood and stone surfaces in outdoor areas.
Part number: 2452951

ACCESSORIES FOR STEAM CLEANER



BRUSH SET

Included brushes remove stubborn dirt even in hard-to-reach places.
Part number: 2452743



WINDOW AND UPHOLSTERY ATTACHMENT

Cleans smooth surfaces streak-free and upholstered furniture deep into the fabric.
Part number: 2452740



FLOOR ATTACHMENT WITH MICROFIBRE MOP

For a wide variety of surfaces such as tiles, laminate and carpets.
Part number: 2452741



STEAM PLATE

Effortless removal of wallpaper without the use of chemicals.
Part number: 2452742



EXTENSION UNITS

For additional reach of 85 cm.
Part number: 2452739



STRAIGHT ADAPTER

For various attachments such as brushes and nozzles.
Part number: 2452744

ACCESSORIES FOR HEAT GUNS



REFLECTOR NOZZLE

Ideal for thawing frozen pipes or for using with heat shrink tubing.
Part number: 2366225



WIDE CONCENTRATOR NOZZLE 75MM

For removing paint from large surfaces and to shape plastics.
Part number: 2366223



CONCENTRATOR NOZZLE 14MM

Removes paint from corners, crevices, moulding, beading and architrave.
Part number: 2366222



GLASS PROTECTION NOZZLE 75MM

deflects heat away from glass and fragile surfaces.
Part number: 2366224



UNIVERSAL NOZZLE KIT

With 14 mm Concentrator, 75 mm Wide Concentrator and Glass Protection Nozzle.
Part number: 2370673



5 IN 1 SCRAPER

For removing paint and varnish from surfaces.
Part number: 2366227




PAINT SCRAPER KIT + 3 BLADES

The paint scraper kit will efficiently strip paint. Includes a Universal blade, paint scraper and blade holder. Ideal for restoration work, stairs, bannisters, window frames etc.
Part number: 2374192



PRO ADVANCED - PAINT SCRAPER KIT

Includes a paint scraper and handle plus 5 unique blades for different surface types Ideal for restoration work, stairs, bannisters, window frames etc.
Part number: 2370677



SHRINK TUBING (4.8 – 9.5 MM)

The shrink tubing for shrinking onto cables. Pack of 32 supplied with: 4.8 mm Red, 4.8 mm Yellow, 6.4 mm Black and 9.5 mm Blue.
Part number: 2370676



HEAT-SHRINK CRIMP CONNECTORS (0.1 – 5.5 MM)

For repairing electrical cables. 2 x 0.5 mm / 3 x 1.25 mm / 3 x 2.0 mm / 2 x 5.5 mm.
Part number: 2370675



WIRING KIT + CONCENTRATOR NOZZLE + REFLECTOR NOZZLE

The reflector nozzle is designed for soldering pipe work, heat shrink tubing, thawing frozen pipes and bending plastic pipes. Ideal for a concentrated heat flow for removing paint in awkward corners, crevices, mouldings, beading or architraves 100 heat shrink tubes in the following sizes.
Part number: 2370674

ACCESSORIES FOR STEAMER



STEAMER PLATE, LARGE (20 X 28 CM)

Lightweight steamer plate with even steam distribution for fast and efficient processing of large surfaces.
Part number: 2414572



STEAMER PLATE, SMALL (7 X 14 CM)

Small steamer plate for working in hard-to-reach places and small areas.
Part number: 2414573



STEAMER HOSE (3.7 M)

Heat-insulated hose with long reach thanks to its 3.7 m length.
Part number: 2414575



SCRAPER

Practical scraper for easy removal of old wallpaper.
Part number: 2414574



J. Wagner GmbH

Otto-Lilienthal-Str. 18

88677 Markdorf

wagner-group.com

WAGNER SERVICE

We strive to offer both a high level of customer service and satisfaction. If you have any questions or have a problem, you will find the solution under one of the following sections on our website.



For more accessories or spare parts, call our Customer Service:

+49 (0) 7544 – 505 1664